

## Solutions to Exercise 8

**Problem 1.** To prove that the  $(n, \frac{n(n+1)}{2})$ -assignment object has consensus number at least  $n$ , we just have to devise a consensus algorithm for  $n$  processes. The  $(n, \frac{n(n+1)}{2})$ -assignment object has  $\frac{n(n+1)}{2}$  fields. For convenience we name the fields as follows. There are  $n$  fields  $r_0, \dots, r_{n-1}$  where process  $i$  writes to register  $r_i$ , and  $\frac{n(n-1)}{2}$  fields  $r_{ij}$ , where  $i > j$ , where processes  $i$  and  $j$  both write to field  $r_{ij}$ . All fields are initialized to *null*. Each process  $i$  atomically assigns its input value to  $n$  fields: its single-writer field  $r_i$  and its  $n - 1$  multi-writer registers  $r_{ij}$ . For example, if  $n = 3$ , process 1 will write to single-writer register  $r_1$  and to multi-writer registers  $r_{10}$  and  $r_{21}$ . The algorithm decides the first value to be assigned. After assigning to its fields, a thread determines the relative ordering of the assignments for every two processes  $i$  and  $j$  as follows:

- Read  $r_{ij}$ . If the value is *null*, then neither assignment has occurred.
- Otherwise, read  $r_i$  and  $r_j$ . If  $r_i$ 's value is *null*, then  $j$  precedes  $i$ , and similarly for  $r_j$ .
- If neither  $r_i$  nor  $r_j$  is *null*, reread  $r_{ij}$ . If its value is equal to the value read from  $r_i$ , then  $j$  precedes  $i$ , else vice versa.

Repeating this procedure, a process can determine which value was written by the earliest assignment.

This described algorithm is taken from the book “The Art of Multiprocessor Programming.” The interested student can also have a look at Section 3.6 of the “[Wait-free Synchronization](#)” paper on the consensus number of the  $(m, n)$ -assignment object.