

Distributed Algorithms

Fall 2020

GM & VSC

8th exercise session, 09/11/2020

Matteo Monti <matteo.monti@epfl.ch>

Jovan Komatovic <jovan.komatovic@epfl.ch>

Exercise 1 - Weakest failure detector

Show that P is the weakest failure detector for Group Membership.

Note: the failure detector D is weakest for solving some problem A (e.g., Consensus or NBAC) if D provides the smallest amount of information about failures that allows to solve A .

Hint: Reduce Group Membership to Perfect Failure Detector and vice versa.

Exercise 2 - Properties of VSC with Joins (1/2)

The view-synchronous communication (VSC) abstraction presented in class does not allow joins of new processes.

Answer to the following questions:

1. Why are the properties of VSC (as given in the class) not suitable for accommodating the joins of new processes?

Exercise 2 - Properties of VSC with Joins (2/2)

2. Change the properties of VSC, so that they allow for implementations that support the joins of new processes.

Assume that these implementations already provide the events $\langle Join|p \rangle$ and $\langle JoinOK \rangle$ and focus solely on the properties.

Hint: focus on the properties of group membership.

Exercise 3 - VSC with Joins (Bonus)

Implement joins on the Consensus-based algorithm (Algorithm II) of VSC.