

# Distributed Algorithms

*Fall 2020*

NBAC & TRB

7th exercise session, 02/11/2020

*Matteo Monti* <[matteo.monti@epfl.ch](mailto:matteo.monti@epfl.ch)>

*Jovan Komatovic* <[jovan.komatovic@epfl.ch](mailto:jovan.komatovic@epfl.ch)>

# Exercise 1 - NBAC & Weak Termination

Devise an algorithm that, without consensus, implements a weaker specification of NBAC by replacing the termination property with

**Weak termination:** Let  $p$  be a distinguished process, known to all other processes. If  $p$  does not crash, then all correct processes eventually decide.

Your algorithm may use a perfect failure detector.

## Exercise 2 - NBAC & Very Weak Termination

Devise an algorithm that, without consensus, implements a weaker specification of NBAC by replacing the termination property with

**Very weak termination:** If no process crashes, then all processes decide.

Is a failure detector needed to implement this algorithm?

## Exercise 3 - TRB & $\diamond P$

Can we implement TRB with an eventually perfect failure detector  $\diamond P$ , under the assumption that at least one process can crash?

# Exercise 4 - TRB to Consensus

Design an algorithm that implements consensus using multiple TRB instances.

# Exercise 5 - TRB to Total Order Broadcast

Design an algorithm that implements Order Broadcast using multiple TRB instances.